

**REFLECTED CEILING PLAN**

SCALE: 1/4"=1'-0"

**LEGEND**

- NEW EXISTING OR RELOCATED LIGHTING FIXTURES. REFER TO ELECTRICAL DRAWINGS AND SCHEDULES FOR SPECIFIC FIXTURE TYPES.
- NEW EXISTING OR RELOCATED SAFETY AND RETURN GRILLES. REFER TO MECHANICAL DRAWINGS FOR SPECIFIC INFORMATION.
- SPRINKLER HEADS. REFER TO FIRE PROTECTION DRAWINGS FOR SPECIFIC TYPES.
- CABINET UNIT HEATER
- CEILING TYPE AND HEIGHT SYMBOL -
- CEILING TYPE
- CEILING HEIGHT
- ⊙ SPEAKER
- ⊙ SMOKE DETECTOR

**CEILING TYPE SCHEDULE** NOTE: CEILING TYPES A-D ARE REFERENCED IN SPEC. SECTION 09511

- A 2x2 SUSPENDED ACOUSTICAL TILE  
ARISTONS FINE FIGURED BEVELED TEGULAR #134 GRID; ARISTONS SIPRAFINE XL 9/16" EXPOSED TEE (FINE FIGURED)
- B 2x4 SUSPENDED ACOUSTICAL TILE  
2x4 SUSPENDED FINE FIGURED SQUARE LAY-IN #124 GRID; ARISTONS PRELUDE 5/16" EXPOSED TEE SYSTEM
- C 2x2 SUSPENDED ACOUSTICAL HANGABLE TILE  
ARISTONS CERAMA GRID FINE FIGURED INTEROPERATED GRID; PRELUDE XL 5/16" EXPOSED TEE SYSTEM (CERAMA/GRID)
- D PAINTED GYP/SAN BOARD CEILING
- EX EXISTING CEILING TO REMAIN PAINT EXISTING CEILING

**CEILING HEIGHT SCHEDULE**

1	8'-0"	5	12'-4"
2	7'-4"		
3	8'-9"		
4	7'-6"		

NOTE: FIELD VERIFY ALL CEILING HEIGHTS PRIOR TO INSTALLATION OF NEW GRIDS. COORDINATE WITH INSTALLATION OF NEW LIGHTING FIXTURES, SPRINKLER MAIN DUCTWORK AND WITH EXISTING STRUCTURE.

**WORK NOTES** (KEYED INTO PLANS)

- ① LOWER EXISTING CEILING MOUNTED CABINET UNIT HEATER TO ALIGN WITH NEW CEILING HEIGHT.
- ② REMOVE EXISTING CEILING GRID, TILE AND EDGE MOLDING TO ALLOW NEW CONSTRUCTION. PROVIDE NEW CEILING GRID, TILES AND EDGE MOLDING AS REQUIRED. MATCH AND ALIGN WITH EXISTING CEILING.
- ③ SEAL ALL PIPE AND DUCT PENETRATIONS TIGHT TO NEW CEILING.
- ④ REMOVE EXISTING VERTICAL BLINDS PRIOR TO CEILING DEMOLITION AND STORE. REINSTALL IN NEW BLIND POCKET.

**GENERAL NOTES**

- A THIS PLAN INDICATES LAYOUT OF BOTH NEW AND EXISTING CEILING GRIDS. REFER TO CEILING TYPE SCHEDULE.
- B IN ALL AREAS OF NEW & EXISTING SUSPENDED ACOUSTICAL CEILING, THE SPRINKLER LINES SHALL BE INSTALLED CONCEALED. REFER TO FIRE PROTECTION DRAWINGS FOR SPRINKLER HEAD LOCATIONS AND RELATED INFORMATION.
- C REFER TO ELECTRICAL DRAWINGS FOR LIGHTING FIXTURE TYPES, REQUIRED WORK AND FOR OTHER CEILING MOUNTED EQUIPMENT NOT INDICATED ON THESE DRAWINGS.
- D REFER TO SHEET RL FOR SERVIC BRACING DETAILS FOR NEW SUSPENDED CEILINGS.
- E CUT NEW CEILING TILES AS REQUIRED FOR INSTALLATION AROUND NEW OR EXISTING VENT PIPING EXHAUST DUCTS, SPRINKLER HANGER RODS, CONDUIT, ETC.


DATE: 10-16-09  
 DRAWN BY: XXX  
 SCALE: XXX  
 REVIEWED BY: XXX  
 PROJECT NO. 2814  
 XXX

**REVISIONS**

NO.	DATE	DESCRIPTION

**REFLECTED CEILING PLAN**

PROJECT NUMBER 28141  
 ADDITIONS AND RENOVATIONS  
**CIGNA UNIVERSITY**  
 1350 HALL BOULEVARD  
 BLOOMFIELD, CONNECTICUT



281 Farmington Avenue  
 Farmington, CT 06032

**PROGRESS**  
 NOT FOR CONSTRUCTION  
 October 16, 2009

**SHEET NO. A9.1**

Printed on Recycled Paper